

Author Index (Vol. 66)

- Aalto-Setälä, K., Kontula, K., Sane, T., Nieminen, M. and Nikkilä, E. (DNA polymorphisms of apolipoprotein A-I/C-III and insulin genes in familial hypertriglyceridemia and coronary heart disease) 145
- Abeywardena, M.Y., McLennan, P.L. and Charnock, J.S. (Long-term saturated fat supplementation in the rat causes an increase in PG12/TBX2 ratio of platelet and vessel wall compared to $n-3$ and $n-6$ dietary fatty acids) 181
- Alexander, M., see Portman, O.W., 227
- Alexiev, C., see Baydanoff, S., 163
- Angel, A., see Groos, G., 269
- Arbogast, B.W. and Dreher, N.J. (Coronary disease prediction using a new atherogenic index) 55
- Arellano, R., see Groos, G., 269
- Arntzenius, A.C., see Kromhout, D., 99
- Bakker, D.J., see Holub, B.J., 11
- Barbenel, J.C., see Saniabadi, A.R., 175
- Bard, J.M., see Duriez, P., 153
- Barnhart, R.L., see Jackson, R.L., 37
- Barth, J.D., see Kromhout, D., 99
- Baydanoff, S., Nicoloff, G. and Alexiev, C. (Age-related changes in the level of circulating elastin-derived peptides in serum from normal and atherosclerotic subjects) 163
- Berlin, E., Judd, J.T., Marshall, M.W. and Kliman, P.G. (Dietary linoleate increases fluidity and influences chemical composition of plasma low density lipoprotein in adult men) 215
- Bertrand, M., see Duriez, P., 153
- Born, G.V.R., see Shafi, S., 131
- Bruckner, G., Webb, P., Greenwell, L., Chow, C. and Richardson, D. (Fish oil increases peripheral capillary blood cell velocity in humans) 237
- Capatos, D., see Fincham, J.E., 205
- Cauley, J.A., Kriska, A.M., LaPorte, R.E., Sandler, R.B. and Pambianco, G. (A two year randomized exercise trial in older women: effects on HDL-cholesterol) 247
- Chao, Y.-s., see Hao, Q.-l., 125
- Charnock, J.S., see Abeywardena, M.Y., 181
- Chen, B.-s., see Hao, Q.-l., 125
- Chen, S.-l., see Hao, Q.-l., 125
- Chow, C., see Bruckner, G., 237
- Cleary, M.P., Kasiske, B., O'Donnell, M.P. and Keane, W.F. (Effect of long-term clofibrate treatment on serum and tissue lipid and cholesterol levels in obese Zucker rats) 107
- Demacker, P.N.M., van Heijst, P.J., Hak-Lemmers, H.L.M. and Stalenhoef, A.F.H. (A study of the lipid transport system in the cat, *Felis domesticus*) 113
- Demarquilly, C., see Duriez, P., 153
- Dreher, N.J., see Arbogast, B.W., 55
- Duriez, P., Vu Dac, N., Koffigan, M., Puchois, P., Demarquilly, C., Fievet, C., Fievet, P., Luyeye, I., Bard, J.M., Fourrier, J.L., Slimane, N., Lablanche, J.M., Bertrand, M. and Fruchart, J.C. (Detection of human apolipoprotein B polymorphic species with one monoclonal antibody (BIP 45) against low density lipoprotein. Influence of this polymorphism on lipid levels and coronary artery stenosis) 153
- Faber, M., see Fincham, J.E., 191
- Feffer, S.E., see Saladino, C.F., 19
- Fievet, C., see Duriez, P., 153
- Fievet, P., see Duriez, P., 153
- Fincham, J.E., Faber, M., Weight, M.J., Labadarios, D., Taljaard, J.J.F., Steytler, J.G., Jacobs, P. and Kritchevsky, D. (Diets realistic for westernised people significantly effect lipoproteins, calcium, zinc, vitamins C, E, B₆ and haematology in Vervet monkeys) 191
- Fincham, J.E., Woodroof, C.W., Van Wyk, M.J., Capatos, D., Weight, M.J., Kritchevsky, D. and Rossouw, J.E. (Promotion and regression of atherosclerosis in Vervet monkeys by diets realistic for westernised people) 205
- Fong, B., see Groos, G., 269
- Forbes, C.D., see Saniabadi, A.R., 175
- Fornas, E. and Fortea, A. (Autoradiography of endothelium in whole rat aorta by a new method) 95
- Fortea, A., see Fornas, E., 95
- Fourrier, J.L., see Duriez, P., 153
- Fox, R.L., see Saladino, C.F., 19
- Fruchart, J.C., see Duriez, P., 153
- Funahashi, T., see Yamashita, T., 171
- Gebhardt, G., see Massmann, J., 77
- Genda, A., Nakayama, A., Shimizu, M., Nunoda, S., Sugihara, N., Suematzu, T., Kita, Y., Yoshimura, A., Koizumi, J., Mabuchi, H. and Takeda, R. (Coronary angiographic characteristics in Japanese patients with heterozygous familial hypercholesterolemia) 29
- Greenwell, L., see Bruckner, G., 237
- Groos, G., Sykes, M., Arellano, R., Fong, B. and Angel, A. (HDL clearance and receptor-mediated catabolism of LDL are reduced in hypothyroid rabbits) 269

Author Index (Vol. 66)

- Aalto-Setälä, K., Kontula, K., Sane, T., Nieminen, M. and Nikkilä, E. (DNA polymorphisms of apolipoprotein A-I/C-III and insulin genes in familial hypertriglyceridemia and coronary heart disease) 145
- Abeywardena, M.Y., McLennan, P.L. and Charnock, J.S. (Long-term saturated fat supplementation in the rat causes an increase in PG12/TBX2 ratio of platelet and vessel wall compared to $n-3$ and $n-6$ dietary fatty acids) 181
- Alexander, M., see Portman, O.W., 227
- Alexiev, C., see Baydanoff, S., 163
- Angel, A., see Groos, G., 269
- Arbogast, B.W. and Dreher, N.J. (Coronary disease prediction using a new atherogenic index) 55
- Arellano, R., see Groos, G., 269
- Arntzenius, A.C., see Kromhout, D., 99
- Bakker, D.J., see Holub, B.J., 11
- Barbenel, J.C., see Saniabadi, A.R., 175
- Bard, J.M., see Duriez, P., 153
- Barnhart, R.L., see Jackson, R.L., 37
- Barth, J.D., see Kromhout, D., 99
- Baydanoff, S., Nicoloff, G. and Alexiev, C. (Age-related changes in the level of circulating elastin-derived peptides in serum from normal and atherosclerotic subjects) 163
- Berlin, E., Judd, J.T., Marshall, M.W. and Kliman, P.G. (Dietary linoleate increases fluidity and influences chemical composition of plasma low density lipoprotein in adult men) 215
- Bertrand, M., see Duriez, P., 153
- Born, G.V.R., see Shafi, S., 131
- Bruckner, G., Webb, P., Greenwell, L., Chow, C. and Richardson, D. (Fish oil increases peripheral capillary blood cell velocity in humans) 237
- Capatos, D., see Fincham, J.E., 205
- Cauley, J.A., Kriska, A.M., LaPorte, R.E., Sandler, R.B. and Pambianco, G. (A two year randomized exercise trial in older women: effects on HDL-cholesterol) 247
- Chao, Y.-s., see Hao, Q.-l., 125
- Charnock, J.S., see Abeywardena, M.Y., 181
- Chen, B.-s., see Hao, Q.-l., 125
- Chen, S.-l., see Hao, Q.-l., 125
- Chow, C., see Bruckner, G., 237
- Cleary, M.P., Kasiske, B., O'Donnell, M.P. and Keane, W.F. (Effect of long-term clofibrate treatment on serum and tissue lipid and cholesterol levels in obese Zucker rats) 107
- Demacker, P.N.M., van Heijst, P.J., Hak-Lemmers, H.L.M. and Stalenhoef, A.F.H. (A study of the lipid transport system in the cat, *Felis domesticus*) 113
- Demarquilly, C., see Duriez, P., 153
- Dreher, N.J., see Arbogast, B.W., 55
- Duriez, P., Vu Dac, N., Koffigan, M., Puchois, P., Demarquilly, C., Fievet, C., Fievet, P., Luyeye, I., Bard, J.M., Fourrier, J.L., Slimane, N., Lablanche, J.M., Bertrand, M. and Fruchart, J.C. (Detection of human apolipoprotein B polymorphic species with one monoclonal antibody (BIP 45) against low density lipoprotein. Influence of this polymorphism on lipid levels and coronary artery stenosis) 153
- Faber, M., see Fincham, J.E., 191
- Feffer, S.E., see Saladino, C.F., 19
- Fievet, C., see Duriez, P., 153
- Fievet, P., see Duriez, P., 153
- Fincham, J.E., Faber, M., Weight, M.J., Labadarios, D., Taljaard, J.J.F., Steytler, J.G., Jacobs, P. and Kritchevsky, D. (Diets realistic for westernised people significantly effect lipoproteins, calcium, zinc, vitamins C, E, B₆ and haematology in Vervet monkeys) 191
- Fincham, J.E., Woodroof, C.W., Van Wyk, M.J., Capatos, D., Weight, M.J., Kritchevsky, D. and Rossouw, J.E. (Promotion and regression of atherosclerosis in Vervet monkeys by diets realistic for westernised people) 205
- Fong, B., see Groos, G., 269
- Forbes, C.D., see Saniabadi, A.R., 175
- Fornas, E. and Fortea, A. (Autoradiography of endothelium in whole rat aorta by a new method) 95
- Fortea, A., see Fornas, E., 95
- Fourrier, J.L., see Duriez, P., 153
- Fox, R.L., see Saladino, C.F., 19
- Fruchart, J.C., see Duriez, P., 153
- Funahashi, T., see Yamashita, T., 171
- Gebhardt, G., see Massmann, J., 77
- Genda, A., Nakayama, A., Shimizu, M., Nunoda, S., Sugihara, N., Suematsu, T., Kita, Y., Yoshimura, A., Koizumi, J., Mabuchi, H. and Takeda, R. (Coronary angiographic characteristics in Japanese patients with heterozygous familial hypercholesterolemia) 29
- Greenwell, L., see Bruckner, G., 237
- Groos, G., Sykes, M., Arellano, R., Fong, B. and Angel, A. (HDL clearance and receptor-mediated catabolism of LDL are reduced in hypothyroid rabbits) 269

- Hak-Lemmers, H.L.M., see Demacker, P.N.M., 113
- Hao, Q.-l., Yamin, T.-t., Pan, T.-c., Chen, S.-l., Chen, B.-s., Kroon, P.A. and Chao, Y.-s. (Isolation and characterization of a full-length rabbit apolipoprotein E cDNA) 125
- Hayakawa, K., Shimizu, T., Ohba, Y., and Tomioka, S. (Life-style factors affecting intrapair differences of serum apoproteins and cholesterol concentrations in adult identical twins) 1
- Hayashi, H., Naito, C., Ito, H., Kawamura, M., Miyazaki, S. and Kumai, M. (Enhanced degradation of low density lipoprotein in human monocyte-derived macrophages associated with an increase in its free fatty acid content) 139
- Hayashi, K., Takamizawa, K., Nakamura, T., Kato, T. and Tsushima, N. (Effects of elastase on the stiffness and elastic properties of arterial walls in cholesterol-fed rabbits) 259
- Holub, B.J., Bakker, D.J. and Skeaff, C.M. (Alterations in molecular species of cholesterol esters formed via plasma lecithin-cholesterol acyltransferase in human subjects consuming fish oil) 11
- Ito, H., see Hayashi, H., 139
- Jackson, R.L., Barnhart, R.L. and Kashyap, M.L. (Characterization of high density lipoproteins from patients with severe hypertriglyceridemia) 37
- Jacobs, P., see Fincham, J.E., 191
- Jonas, E.A., see Saladino, C.F., 19
- Judd, J.T., see Berlin, E., 215
- Karpowicz, F., see Saladino, C.F., 19
- Kashyap, M.L., see Jackson, R.L., 37
- Kasiske, B., see Cleary, M.P., 107
- Kato, T., see Hayashi, H., 259
- Kawamura, M., see Hayashi, H., 139
- Keane, W.F., see Cleary, M.P., 107
- Keen, G.A., see Thompson, W.D., 85
- Kempen, H.J., see Kromhout, D., 99
- Kempen-Voogd, N., see Kromhout, D., 99
- Kita, Y., see Genda, A., 29
- Kliman, P.G., see Berlin, E., 215
- Koffigan, M., see Duriez, P., 153
- Koizumi, J., see Genda, A., 29
- Kontula, K., see Aalto-Setälä, K., 145
- Krisk, A.M., see Cauley, J.A., 247
- Kritchevsky, D., see Fincham, J.E., 191
- Kritchevsky, D., see Fincham, J.E., 205
- Kromhout, D., Arntzenius, A.C., Kempen-Voogd, N., Kempen, H.J., Barth, J.D., van der Voort, H.A. and van der Velde, E.A. (Long-term effects of a linoleic acid-enriched diet, changes in body weight and alcohol consumption on serum total and HDL-cholesterol) 99
- Kroon, P.A., see Hao, Q.-l., 125
- Kumai, M., see Hayashi, H., 139
- LaPorte, R.E., see Cauley, J.A., 247
- Labadarios, D., see Fincham, J.E., 191
- Lablanche, J.M., see Duriez, P., 153
- Lowe, G.D.O., see Saniabadi, A.R., 175
- Lurie, Y. and Schoenfeld, N. (Cardiac catheterization in a case of homozygous familial hypercholesterolemia) 169
- Luyey, L., see Duriez, P., 153
- Mabuchi, H., see Genda, A., 29
- Madhok, R., see Saniabadi, A.R., 175
- Marshall, M.W., see Berlin, E., 215
- Massmann, J., Trimper, B. and Gebhardt, G. (Failure of foreign serum injections to induce immune vasculitis and to accelerate spontaneous or cholesterol-induced atherosclerosis in swine) 77
- Matsuzawa, Y., see Yamashita, T., 171
- McGuigan, C.J., see Thompson, W.D., 85
- McLennan, P.L., see Abeywardena, M.Y., 181
- Mirkiewicz, E., see Naruszewicz, M., 45
- Miyazaki, S., see Hayashi, H., 139
- Naito, C., see Hayashi, H., 139
- Nakajima, T., see Yamashita, T., 171
- Nakamura, T., see Hayashi, H., 259
- Nakamura, T., see Yamashita, T., 171
- Nakayama, A., see Genda, A., 29
- Naruszewicz, M., Wozny, E., Mirkiewicz, E., Nowicka, G. and Szostak, W.B. (The effect of thermally oxidized soya bean oil on metabolism of chylomicrons. Increased uptake and degradation of oxidized chylomicrons in cultured mouse macrophages) 45
- Nicoloff, G., see Baydanoff, S., 163
- Nieminen, M., see Aalto-Setälä, K., 145
- Nikkilä, E., see Aalto-Setälä, K., 145
- Nowicka, G., see Naruszewicz, M., 45
- Nunoda, S., see Genda, A., 29
- O'Donnell, M.P., see Cleary, M.P., 107
- O'Malley, J.P., see Portman, O.W., 227
- Ohba, Y., see Hayakawa, K., 1
- Overturf, M., Sybers, H., Schaper, J. and Taegtmeyer, H. (Hypertension and atherosclerosis in cholesterol-fed rabbits II. One-kidney, one clip Goldblatt hypertension treated with nifedipine) 63
- Palinski, W., see Shafi, S., 131
- Pambianco, G., see Cauley, J.A., 247
- Pan, T.-c., see Hao, Q.-l., 125
- Portman, O.W., O'Malley, J.P. and Alexander, M. (Metabolism of native and acetylated low density lipoproteins in squirrel monkeys with emphasis on aortas with varying severities of atherosclerosis) 227
- Puchois, P., see Duriez, P., 153
- Richardson, D., see Bruckner, G., 237
- Rossouw, J.E., see Fincham, J.E., 205
- Saladino, C.F., Fox, R.L., Yeh, Q., Karpowicz, F., Feffer, S.E. and Jonas, E.A. (Platelet aggregability in rats with early atherosclerotic changes induced by parenterally-administered lipid emulsions) 19
- Sandler, R.B., see Cauley, J.A., 247

- Sane, T., see Aalto-Setälä, K., 145
- Saniabadi, A.R., Lowe, G.D.O., Madhok, R., Spowart, K., Shaw, B., Barbenel, J.C. and Forbes, C.D. (Red blood cells mediate spontaneous aggregation of platelets in whole blood) 175
- Schaper, J., see Overturf, M., 63
- Schoenfeld, N., see Lurie, Y., 169
- Shafi, S., Palinski, W. and Born, G.V.R. (Comparison of uptake and degradation of low density lipoproteins by arteries and veins of rabbits) 131
- Shaw, B., see Saniabadi, A.R., 175
- Shimizu, M., see Genda, A., 29
- Shimizu, T., see Hayakawa, K., 1
- Skeaff, C.M., see Holub, B.J., 11
- Slimane, N., see Duriez, P., 153
- Smith, E.B., see Thompson, W.D., 85
- Snijder, C., see Thompson, W.D., 85
- Spowart, K., see Saniabadi, A.R., 175
- Stalenhoef, A.F.H., see Demacker, P.N.M., 113
- Steytler, J.G., see Fincham, J.E., 191
- Suematzu, T., see Genda, A., 29
- Sugihara, N., see Genda, A., 29
- Sybers, H., see Overturf, M., 63
- Sykes, M., see Groos, G., 269
- Szostak, W.B., see Naruszewicz, M., 45
- Taegtmeyer, H., see Overturf, M., 63
- Takamizawa, K., see Hayashi, K., 259
- Takeda, R., see Genda, A., 29
- Taljaard, J.J.F., see Fincham, J.E., 191
- Tarui, S., see Yamashita, T., 171
- Thompson, G.R. (Cardiac catheterization in homozygous familial hypercholesterolemia) 173
- Thompson, W.D., McGuigan, C.J., Snijder, C., Keen, G.A. and Smith, E.B. (Mitogenic activity in human atherosclerotic lesions) 85
- Tomioka, S., see Hayakawa, K., 1
- Trimper, B., see Massmann, J., 77
- Tsushima, N., see Hayashi, K., 259
- Van Heijst, P.J., see Demacker, P.N.M., 113
- Van der Velde, E.A., see Kromhout, D., 99
- Van der Voort, H.A., see Kromhout, D., 99
- Van Wyk, M.J., see Fincham, J.E., 205
- Vu Dac, N., see Duriez, P., 153
- Webb, P., see Bruckner, G., 237
- Weight, M.J., see Fincham, J.E., 191
- Weight, M.J., see Fincham, J.E., 205
- Woodroof, C.W., see Fincham, J.E., 205
- Wozny, E., see Naruszewicz, M., 45
- Yamashita, T., Nakamura, T., Funahashi, T., Nakajima, T., Matsuzawa, Y. and Tarui, S. (Significance of cardiac catheterization for asymptomatic patients with familial hypercholesterolemia) 171
- Yamin, T.-T., see Hao, Q.-I., 125
- Yeh, Q., see Saladino, C.F., 19
- Yoshimura, A., see Genda, A., 29

Subject Index (Vol. 66)

Achilles tendon thickness

- , Heterozygous familial hypercholesterolemia; Angiography, coronary; Cholesterol serum; HDL-cholesterol; Coronary ectasia; Angiogram, normal coronary, 29

Adipose tissue cellularity

- , Glucose-6-phosphate dehydrogenase; Fatty acid synthesis; Malic enzyme, 107

ADP

- , Red blood cells, Spontaneous platelet aggregation; Prostacyclin; Iloprost; 2-Chloroadenosine, 175

Adult females (monkeys)

- , Iron; Folic acid; Western diets; Lipid clearance; Cholesterol crystals; Fibrosis; Metastatic mineralisation; Arteriosclerosis, 205

Adult men

- , Dietary linoleate; Plasma lipoprotein fluidity; Chemical composition of plasma lipoproteins; LDL, 215

Aggregation

- , Platelet; Lipofundin-S; Lipid emulsion, 19

Alcohol

- , Linoleic acid; Body weight; Total cholesterol; HDL cholesterol, 99

Alcohol consumption

- , Twins; Apoprotein; Cholesterol; Cigarette smoking; Physical exercise; Occupation; Obesity, 1

Angiogram, normal coronary

- , Heterozygous familial hypercholesterolemia; Angiography, coronary; Cholesterol serum; HDL-cholesterol; Achilles tendon thickness; Coronary ectasia, 29

Angiography, coronary

- , Heterozygous familial hypercholesterolemia; Cholesterol serum; HDL-cholesterol; Achilles tendon thickness; Coronary ectasia; Angiogram, normal coronary, 29

Antibody

- , Humoral immunity; Arteritis; Atherosclerosis; Hypercholesterolemia, 77

Aorta

- , Blood pressure; Atherosclerosis; Cholesterol; Nifedipine; Blood chemistry; Heart; Kidney, 63

Aortic intima, human

- , Atherosclerosis; Mitogenesis; Chorioallantoic membrane (chick); Fibrin degradation products, 85

Apo B epitopes

- , Apo B polymorphism; Familial hypercholesterolemia; Coronary artery disease, 153

Apo B polymorphism

- , Apo B epitopes; Familial hypercholesterolemia; Coronary artery disease, 153

Apolipoprotein(s)

- , Lipid transport system; Serum lipoproteins; LDL, 113
- , Restriction fragment length polymorphism; Familial hypertriglyceridemia; Coronary heart disease, 145

Apolipoprotein E cDNA

- , DNA sequencing; Cloning; Dietary cholesterol, 125

Apoprotein

- , Twins; Cholesterol; Alcohol consumption; Cigarette smoking; Physical exercise; Occupation; Obesity, 1

Arterial mechanics

- , Atherosclerosis; Cholesterol feeding; Elastase; Elastic modulus; Stiffness parameter, 259

Arteries

- , Atherosclerosis; Veins; Low density lipoprotein; Uptake; Degradation, 131

Arteriosclerosis

- , Coronary artery disease; Lipoproteins; VLDL, 55
- , Iron; Folic acid; Adult females (monkeys); Western diets; Lipid clearance; Cholesterol crystals; Fibrosis; Metastatic mineralisation, 205

Arteritis

- , Antibody; Humoral immunity; Atherosclerosis; Hypercholesterolemia, 77

Artery

- , Atherosclerosis; Autoradiography; Whole mount; Endothelium, 95

Atherogenesis

- , Keys and Hegsted diet scores; Hypercholesterolemia; Hypercholesterolemia; Friedewald equation; Homocysteine theory; Hemoglobin, 191

Atherosclerosis

- , Antibody; Humoral immunity; Arteritis; Hypercholesterolemia, 77

- , Arterial mechanics; Cholesterol feeding; Elastase; Elastic modulus; Stiffness parameter, 259

- , Arteries; Veins; Low density lipoprotein; Uptake; Degradation, 131

- , Artery; Autoradiography; Whole mount; Endothelium, 95

- , Blood pressure; Cholesterol; Nifedipine; Blood chemistry; Heart; Aorta; Kidney, 63

- , Circulating elastin-derived peptides; ELISA; Elastin; Elastin turnover, 163

- , Mitogenesis; Chorioallantoic membrane (chick); Fibrin degradation products; Aortic intima, human, 85
- Autoradiography
- , Artery; Atherosclerosis; Whole mount; Endothelium, 95

Blood chemistry

- , Blood pressure; Atherosclerosis; Cholesterol; Nifedipine; Heart; Aorta; Kidney, 63

Blood pressure

- , Atherosclerosis; Cholesterol; Nifedipine; Blood chemistry; Heart; Aorta; Kidney, 63

Blood pressure

- , Fish oil; Microcirculation; Docosahexaenoic acid; Eicosapentaenoic acid; Olive oil, 237

Body weight

- , Linoleic acid; Alcohol; Total cholesterol; HDL cholesterol, 99

Chemical composition of plasma lipoproteins

- , Dietary linoleate; Plasma lipoprotein fluidity; LDL; Adult men, 215

2-Chloroadenosine

- , Red blood cells; ADP; Spontaneous platelet aggregation; Prostacyclin; Iloprost, 175

Cholesterol

- , Blood pressure; Atherosclerosis; Nifedipine; Blood chemistry; Heart; Aorta; Kidney, 63

- , Cholesteryl esters; Intima; Macrophages; Media; Plasma clearance, 227

- , Twins; Apoprotein; Alcohol consumption; Cigarette smoking; Physical exercise; Occupation; Obesity, 1

Cholesterol crystals

- , Iron; Folic acid; Adult females (monkeys); Western diets; Lipid clearance; Fibrosis; Metastatic mineralisation; Arteriosclerosis, 205

Cholesterol esters

- , Eicosapentaenoic acid; Docosahexaenoic acid; Plasma LCAT; Phosphatidylcholine; Eicosanoids, 11

Cholesterol feeding

- , Arterial mechanics; Atherosclerosis; Elastase; Elastic modulus; Stiffness parameter, 259

Cholesterol serum

- , Heterozygous familial hypercholesterolemia; Angiography, coronary; HDL-cholesterol; Achilles tendon thickness; Coronary ectasia; Angiogram, normal coronary, 29

Cholesteryl esters

- , Cholesterol; Intima; Macrophages; Media; Plasma clearance, 227

Chorioallantoic membrane (chick)

- , Atherosclerosis; Mitogenesis; Fibrin degradation products; Aortic intima, human, 85

Chylomicronemia

- , Hypertriglyceridemia; HDL; HDL-cholesterol, 37

Chylomicrons

- , Lipid peroxides; Cultured mouse macrophages, 45

Cigarette smoking

- , Twins; Apoprotein; Cholesterol; Alcohol consumption; Physical exercise; Occupation; Obesity, 1

Circulating elastin-derived peptides

- , ELISA; Elastin; Elastin turnover; Atherosclerosis, 163

Cloning

- , Apolipoprotein E cDNA; DNA sequencing; Dietary cholesterol, 125

Coronary artery disease

- , Apo B epitopes; Apo B polymorphism; Familial hypercholesterolemia, 153

- , Arteriosclerosis; Lipoproteins; VLDL, 55

Coronary ectasia

- , Heterozygous familial hypercholesterolemia; Angiography, coronary; Cholesterol serum; HDL-cholesterol; Achilles tendon thickness; Angiogram, normal coronary, 29

Coronary heart disease

- , Restriction fragment length polymorphism; Apolipoprotein; Familial hypertriglyceridemia, 145

Cultured mouse macrophages

- , Chylomicrons; Lipid peroxides, 45

Degradation

- , Atherosclerosis; Arteries; Veins; Low density lipoprotein; Uptake, 131

Dietary cholesterol

- , Apolipoprotein E cDNA; DNA sequencing; Cloning, 125

Dietary lipid

- , Prostacyclin; Thromboxane; PG12/TXB2 ratio; Membrane lipid composition, 181

Dietary linoleate

- , Plasma lipoprotein fluidity; Chemical composition of plasma lipoproteins; LDL; Adult men, 215

DNA sequencing

- , Apolipoprotein E cDNA; Cloning; Dietary cholesterol, 125

Docosahexaenoic acid

- , Eicosapentaenoic acid; Plasma LCAT; Phosphatidylcholine; Cholesterol esters; Eicosanoids, 11

- , Fish oil; Microcirculation; Eicosapentaenoic acid; Blood pressure; Olive oil, 237

Eicosanoids

- , Eicosapentaenoic acid; Docosahexaenoic acid; Plasma LCAT; Phosphatidylcholine; Cholesterol esters, 11

Eicosapentaenoic acid

- , Docosahexaenoic acid; Plasma LCAT; Phosphatidylcholine; Cholesterol esters; Eicosanoids, 11

- , Fish oil; Microcirculation; Docosahexaenoic acid; Blood pressure; Olive oil, 237

Elastase

- , Arterial mechanics; Atherosclerosis; Cholesterol feeding; Elastic modulus; Stiffness parameter, 259

Elastic modulus

- , Arterial mechanics; Atherosclerosis; Cholesterol feeding; Elastase; Stiffness parameter, 259

Elastin

- , Circulating elastin-derived peptides; ELISA; Elastin turnover; Atherosclerosis, 163

Elastin turnover

- , Circulating elastin-derived peptides; ELISA; Elastin; Atherosclerosis, 163

ELISA

- , Circulating elastin-derived peptides; Elastin; Elastin turnover; Atherosclerosis, 163

Endothelium

- , Artery; Atherosclerosis; Autoradiography; Whole mount, 95

Familial hypertriglyceridemia

- , Restriction fragment length polymorphism; Apolipoprotein; Coronary heart disease, 145

Familial hypercholesterolemia

- , Apo B epitopes; Apo B polymorphism; Coronary artery disease, 153

Fatty acid synthesis

- , Glucose-6-phosphate dehydrogenase; Malic enzyme; Adipose tissue cellularity, 107

Fibrin degradation products

- , Atherosclerosis; Mitogenesis; Chorionallantoic membrane (chick); Aortic intima, human, 85

Fibrosis

- , Iron; Folic acid; Adult females (monkeys); Western diets; Lipid clearance; Cholesterol crystals; Metastatic mineralisation; Arteriosclerosis, 205

Fish oil

- , Microcirculation; Docosahexaenoic acid; Eicosapentaenoic acid; Blood pressure; Olive oil, 237

Folic acid

- , Iron; Adult females (monkeys); Western diets; Lipid clearance; Cholesterol crystals; Fibrosis; Metastatic mineralisation; Arteriosclerosis, 205

Free fatty acids

- , Monocyte-derived macrophages; LDL; LDL receptor, 139

Friedewald equation

- , Keys and Hegsted diet scores; Hypercholesterolemia; Hypocholesterolemia; Atherogenesis; Homocysteine theory; Hemoglobin, 191

Glucose-6-phosphate dehydrogenase

- , Fatty acid synthesis; Malic enzyme; Adipose tissue cellularity, 107

HDL

- , Hypertriglyceridemia; Chylomicronemia; HDL-cholesterol, 37

- , Hypothyroid rat; Reduced lipoprotein clearance; Receptor-mediated catabolism; LDL, 269

HDL-cholesterol

- , Heterozygous familial hypercholesterolemia; Angiography, coronary; Cholesterol serum; Achilles tendon thickness; Coronary ectasia; Angiogram, normal coronary, 29

- , Hypertriglyceridemia; HDL; Chylomicronemia, 37

- , Linoleic acid; Body weight; Alcohol; Total cholesterol, 99

HDL levels

- , Physical activity; HDL subfractions; Older women; Obesity, 247

HDL subfractions

- , Physical activity; HDL levels; Older women; Obesity, 247

Heart

- , Blood pressure; Atherosclerosis; Cholesterol; Nifedipine; Blood chemistry; Aorta; Kidney, 63

Hemoglobin

- , Keys and Hegsted diet scores; Hypercholesterolemia; Hypocholesterolemia; Friedewald equation; Atherogenesis; Homocysteine theory, 191

Heterozygous familial hypercholesterolemia

- , Angiography, coronary; Cholesterol serum; HDL-cholesterol; Achilles tendon thickness; Coronary ectasia; Angiogram, normal coronary, 29

Homocysteine theory

- , Keys and Hegsted diet scores; Hypercholesterolemia; Hypocholesterolemia; Friedewald equation; Atherogenesis; Hemoglobin, 191

Humoral immunity

- , Antibody; Arteritis; Atherosclerosis; Hypercholesterolemia, 77

Hypercholesterolemia

- , Antibody; Humoral immunity; Arteritis; Atherosclerosis, 77
- , Keys and Hegsted diet scores; Hypocholesterolemia; Friedewald equation; Atherogenesis; Homocysteine theory; Hemoglobin, 191

Hypertriglyceridemia

- , HDL; Chylomicronemia; HDL-cholesterol, 37

Hypocholesterolemia

- , Keys and Hegsted diet scores; Hypercholesterolemia; Friedewald equation; Atherogenesis; Homocysteine theory; Hemoglobin, 191

Hypothyroid rat

- , Reduced lipoprotein clearance; Receptor-mediated catabolism; LDL; HDL, 269

Iloprost

- , Red blood cells; ADP; Spontaneous platelet aggregation; Prostacyclin; 2-Chloroadenosine, 175

Intima

- , Cholesterol; Cholesteryl esters; Macrophages; Media; Plasma clearance, 227

Iron

- , Folic acid; Adult females (monkeys); Western diets; Lipid clearance; Cholesterol crystals; Fibrosis; Metastatic mineralisation; Arteriosclerosis, 205

Keys and Hegsted diet scores

- , Hypercholesterolemia; Hypocholesterolemia; Friedewald equation; Atherogenesis; Homocysteine theory; Hemoglobin, 191

Kidney

- , Blood pressure; Atherosclerosis; Cholesterol; Nifedipine; Blood chemistry; Heart; Aorta, 63

LDL

- , Atherosclerosis; Arteries; Veins; Uptake; Degradation, 131
- , Dietary linoleate; Plasma lipoprotein fluidity; Chemical composition of plasma lipoproteins; Adult men, 215

- , Hypothyroid rat; Reduced lipoprotein clearance; Receptor-mediated catabolism; HDL, 269

- , Lipid transport system; Serum lipoproteins; Apolipoproteins, 113

- , Monocyte-derived macrophages; Free fatty acids; LDL receptor, 139

LDL receptor

-, Monocyte-derived macrophages; Free fatty acids; LDL, 139

Linoleic acid

-, Body weight; Alcohol; Total cholesterol; HDL cholesterol, 99

Lipid clearance

-, Iron; Folic acid; Adult females (monkeys); Western diets; Cholesterol crystals; Fibrosis; Metastatic mineralisation; Arteriosclerosis, 205

Lipid emulsion

-, Platelet; Aggregation; Lipofundin-S, 19

Lipid peroxides

-, Chylomicrons; Cultured mouse, 45

Lipid transport system

-, Serum lipoproteins; Apolipoproteins; LDL, 113

Lipofundin-S

-, Platelet; Aggregation; Lipid emulsion, 19

Lipoproteins

-, Arteriosclerosis; coronary artery disease; VLDL, 55

Macrophages

-, Cholesterol; Cholesteryl esters; Intima; Media; Plasma clearance, 227

Malic enzyme

-, Glucose-6-phosphate dehydrogenase; Fatty acid synthesis; Adipose tissue cellularity, 107

Media

-, Cholesterol; Cholesteryl esters; Intima; Macrophages; Plasma clearance, 227

Membrane lipid composition

-, Dietary lipid; Prostacyclin; Thromboxane; PGI₂/TXB₂ ratio, 181

Metastatic mineralisation

-, Iron; Folic acid; Adult females (monkeys); Western diets; Lipid clearance; Cholesterol crystals; Fibrosis; Arteriosclerosis, 205

Microcirculation

-, Fish oil; Docosahexaenoic acid; Eicosapentaenoic acid; Blood pressure; Olive oil, 237

Mitogenesis

-, Atherosclerosis; Chorioallantoic membrane (chick); Fibrin degradation products; Aortic intima, human, 85

Monocyte-derived macrophages

-, Free fatty acids; LDL; LDL receptor, 139

Nifedipine

-, Blood pressure; Atherosclerosis; Cholesterol; Blood chemistry; Heart; Aorta; Kidney, 63

Obesity

-, Physical activity; HDL levels; HDL subfractions; Older women, 247

-, Twins; Apoprotein; Cholesterol; Alcohol consumption; Cigarette smoking; Physical exercise; Occupation, 1

Occupation

-, Twins; Apoprotein; Cholesterol; Alcohol consumption; Cigarette smoking; Physical exercise; Obesity, 1

Older women

-, Physical activity; HDL levels; HDL subfractions; Obesity, 247

Olive oil

-, Fish oil; Microcirculation; Docosahexaenoic acid; Eicosapentaenoic acid; Blood pressure, 237

PGI₂/TXB₂ ratio

-, Dietary lipid; Prostacyclin; Thromboxane; Membrane lipid composition, 181

Phosphatidylcholine

-, Eicosapentaenoic acid; Docosahexaenoic acid; Plasma LCAT; Cholesterol esters; Eicosanoids, 11

Physical activity

-, HDL levels; HDL subfractions; Older women; Obesity, 247

Physical exercise

-, Twins; Apoprotein; Cholesterol; Alcohol consumption; Cigarette smoking; Occupation; Obesity, 1

Plasma clearance

-, Cholesterol; Cholesteryl esters; Intima; Macrophages; Media, 227

Plasma LCAT

-, Eicosapentaenoic acid; Docosahexaenoic acid; Phosphatidylcholine; Cholesterol esters; Eicosanoids, 11

Plasma lipoprotein fluidity

-, Dietary linoleate; Chemical composition of plasma lipoproteins; LDL; Adult men, 215

Platelet

-, Aggregation; Lipofundin-S; Lipid emulsion, 19

Prostacyclin

-, Dietary lipid; Thromboxane; PGI₂/TXB₂ ratio; Membrane lipid composition, 181

-, Red blood cells; ADP; Spontaneous platelet aggregation; Iloprost; 2-Chloroadenosine, 175

Receptor-mediated catabolism

-, Hypothyroid rat; Reduced lipoprotein clearance; LDL; HDL, 269

Red blood cells

-, ADP; Spontaneous platelet aggregation; Prostacyclin; Iloprost; 2-Chloroadenosine, 175

Reduced lipoprotein clearance

-, Hypothyroid rat; Receptor-mediated catabolism; LDL; HDL, 269

Restriction fragment length polymorphism

-, Apolipoprotein; Familial hypertriglyceridemia; Coronary heart disease, 145

Serum lipoproteins

-, Lipid transport system; Apolipoproteins; LDL, 113

Spontaneous platelet aggregation

-, Red blood cells; ADP; Prostacyclin; Iloprost; 2-Chloroadenosine, 175

Stiffness parameter

-, Arterial mechanics; Atherosclerosis; Cholesterol feeding; Elastase; Elastic modulus, 259

Thromboxane

-, Dietary lipid; Prostacyclin; PGI₂/TXB₂ ratio; Membrane lipid composition, 181

Total cholesterol

-, Linoleic acid; Body weight; Alcohol; HDL cholesterol, 99

Twins

-, Apoprotein; Cholesterol; Alcohol consumption; Cigarette smoking; Physical exercise; Occupation; Obesity, 1

Uptake

-, Atherosclerosis; Arteries; Veins; Low density lipoprotein; Degradation, 131

Veins

-, Atherosclerosis; Arteries; Low density lipoprotein; Uptake; Degradation, 131

VLDL

-, Arteriosclerosis; coronary artery disease; Lipoproteins, 55

Western diets

-, Iron; Folic acid; Adult females (monkeys); Lipid clearance; Cholesterol crystals; Fibrosis; Metastatic mineralisation; Arteriosclerosis, 205

Whole mount

-, Artery; Atherosclerosis; Autoradiography; Endothelium, 95